



## NT 80/1 B1 MS

Specialist vacuum cleaner with water bath, designed for use in hazardous locations



### 1 Safety first

- The NT 80/1 B1 M S features automatic water level control and can only be operated with a sufficient water level.

### 2 Zone 22 + dust class M

- For combustible dusts in dust explosion classes, Zone 22 and health-endangering dusts, dust class M.



## NT 80/1 B1 MS

- Antistatic system
- Stainless steel container
- For propellant residues

### Technical data

<b>Order Number</b>	1.667-267.0	
<b>EAN code</b>	4039784725355	
<b>Current type</b>	<b>V / Hz</b>	220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	56
<b>Vacuum</b>	<b>mbar / kPa</b>	235 / 23,5
<b>Container capacity</b>	<b>l</b>	80
<b>Max. rated input power</b>	<b>W</b>	max. 1380
<b>Standard nominal size</b>	DN 40	
<b>Cable length</b>	<b>m</b>	10
<b>Sound level</b>	<b>dB(A)</b>	70
<b>Weight</b>	<b>kg</b>	32,5
<b>Dimensions (L x W x H)</b>	<b>mm</b>	660 × 520 × 1078

### Equipment

<b>Suction hose</b>	<b>m</b>	4 / with manifold (electrically conductible)	<b>Caster with brake</b>	■
<b>Suction Tube</b>	<b>piece(s) × m</b>	1 × 1 / Metal	<b>Dust class</b>	M
<b>Wet and dry floor tool</b>	<b>mm</b>	370		
<b>Crevice nozzle</b>		■		
<b>Antistatic system</b>		■		
<b>Stainless steel container</b>		■		
<b>Metal bend</b>		■		
<b>Cartridge filter</b>		Paper		
<b>Sturdy bumper</b>		■		
<b>Push handle</b>		■		
<b>Safety class</b>		I		

■ Included in delivery.

# NT 80/1 B1 MS

## 1.667-267.0



		Order Number	Anzahl	Dummy	Dummy	Dummy	Price	Description	
<b>Cartridge filter paper</b>									
Cartridge filter	1	6.414-808.0	1 piece(s)					Paper / metal, suction filter, filter blower motor.	■

Included in delivery.
  Available accessories.

# NT 80/1 B1 MS

## 1.667-267.0



		Order Number	Anzahl	Nennweite	Länge	Breite	Price	Description	
<b>Bend metal</b>									
Metal bend, ID 40	1	4.036-032.0	1 piece(s)	40				Non-interchangeable bend DN 40 for B1 M safety vacuum cleaners.	■
<b>All-purpose nozzles (wet/dry)</b>									
All-purpose nozzle, ID 40	2	4.130-399.0	1 piece(s)	40		450 mm		Aluminium floor nozzle, earthed, non-interchangeable, 370 mm, height adjustable.	■
<b>Crevice nozzles</b>									
Crevice tool ID 40	3	4.763-243.0	1 piece(s)	40	290 mm			Plastic, non-interchangeable.	■
<b>Suction tubes metal</b>									
Suction tube, DN 40, 1 m	4	4.025-372.0	1 piece(s)	40	1000 mm			Metal chromium-plated - non-interchangeable with screw connection. Only suitable for use with NT 80/1 B1 M and NT 80/1 B1 MS or NT 801 B1 M/MS.	■
<b>All-purpose brushes</b>									
All-purpose brush, DN 40, B1	5	4.763-242.0	1 piece(s)	40	120 mm			Natural bristles (cow hair), bristle attachment 120 x 45 mm, non-interchangeable screw connection.	□

■ Included in delivery. □ Available accessories.

# NT 80/1 B1 MS

## 1.667-267.0



		Order Number	Anzahl	Nennweite	Länge	Price	Description	
<b>Suction hoses complete</b>								
Suction hose complete B1 M L=8m	1	4.440-013.0	1 piece(s)	40	8 m			<input type="checkbox"/>
<b>Suction hoses complete (Clip-system)</b>								
Suction hose electrically conducting C40	2	6.907-363.0	1 piece(s)	40	4 m			<input checked="" type="checkbox"/>

Included in delivery.
  Available accessories.