



NT 70/3 Me Tc

High capacity powerful wet/dry vacuum cleaner with three suction motors for heavy-duty use. Featuring stainless steel container and tilting chassis.



1 On-board accessory storage

- Large bumper with accessory storage.



2 Ergonomic push handle

- The NT 70 has an ergonomic push handle for greater manoeuvrability.



3 Tilting chassis

- Quick and easy: the container tilts back for easy emptying.



4 Ergonomic handle

- The ergonomic handle - at the front at the bottom of the container - makes handling easy.

NT 70/3 Me Tc

- Tilting chassis and large wheels
- Ergonomic push handle
- Stainless steel container

Technical data

Order Number	1.667-274.0	
EAN code	4039784725423	
Air flow	l/s	3 x 74
Vacuum	mbar / kPa	254 / 25,4
Container capacity	l	70
Max. rated input power	W	3600
Standard nominal size	ID 40	
Cable length	m	10
Sound level	dB(A)	79
Container material	Stainless steel	
Quantity of motors	3	
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	29,9
Dimensions (L x W x H)	mm	510 x 645 x 990

Equipment

Suction hose	m	4	Safety class	II
Metal suction tube, 2 x 0.5 m	■		Caster with brake	■
Wet and dry floor tool	mm	400		
Crevice nozzle	■			
Cartridge filter	■			
Drain hose	■			
Stainless steel container	■			
Tilting chassis	■			
Bend	■			
Cartridge filter		Paper		
Push handle	■			

■ Included in delivery.

NT 70/3 ME TC

1.667-274.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Cartridge filter paper									
Cartridge filter, paper	1	6.907-038.0	1 piece(s)					Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up.	■
All-purpose nozzles (wet/dry)									
	2	2.889-117.0	1 piece(s)	ID 40		400 mm			■
Floor tool DN40-370	3	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	4	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	5	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Crevice nozzles									
Crevice nozzle DN40	6	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	■
Crevice nozzle DN35	7	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	□
Crevice nozzle	8	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	9	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Suction tubes metal									
Suction tube	10	6.900-275.0	1 piece(s)	ID 40	0,55 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	■
Suction tube DN35	11	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	□
Suction hoses complete (Clip-system)									
Suction hose	12	4.440-678.0	1 piece(s)	ID 40	4 m			4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.	■
	13	4.440-784.0	1 piece(s)	ID 40	16 m			16 m suction hose (C-DN 40) with bayonet and straight adapter.	□
Coarse filter for wet pickup									
Foam filter	14	2.889-083.0	1 piece(s)					Not suitable for dry vacuuming.	□
Membrane filter / fabric filter									
Membrane filter/fabric filter	15	6.904-282.0	1 piece(s)					Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	□
Paper filter (2 ply)									
Filter bags 5St. -NT 65/2 ECO	16	6.904-285.0	5 piece(s)					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	□
Plastic sacks for dust-free disposal									
Plastic sacks for dust-free disposal	17	6.900-698.0	10 piece(s)					PE plastic sack.	□

■ Included in delivery. □ Available accessories.

NT 70/3 ME TC

1.667-274.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Special filter bags, wet filter bags									
Special filter bags, wet filter bags	18	6.904-252.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>
Bend stainless									
Bend, stainless steel ID 35	19	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	<input type="checkbox"/>
Bend, stainless steel ID 40	20	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	<input type="checkbox"/>
Plastic bend									
Plastic bend	21	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	<input type="checkbox"/>
	22	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	<input type="checkbox"/>
	23	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	<input type="checkbox"/>
Bend metal									
Bend, DN 35, metal	24	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	<input type="checkbox"/>
Bend, DN 40, metal	25	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	<input type="checkbox"/>
Car cleaning nozzles									
Car nozzle	26	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Gangway nozzles									
Gangway nozzle	27	4.130-432.0	1 piece(s)	ID 40		644 mm		Vacuuming larger Areas in connection with NT 70/1; NT 70/2 or NT 70/3 versions only.	<input type="checkbox"/>
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	28	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	29	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Pipe dusting nozzles									
BRUSH	30	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
	31	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
Suction brushes									
Suction brush DN35	32	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
Suction brush DN32	33	6.903-887.0	1 piece(s)	ID 32		70 mm		Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.	<input type="checkbox"/>
Suction tubes stainless steel									
Suction tube, ID 40	34	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube	35	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube, DN 35	36	6.902-154.0	1 piece(s)	ID 35	0,5 m				<input type="checkbox"/>
Repair kits									
Repair set, C 40	37	2.639-873.0	1 piece(s)	ID 40				Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 70/3 ME TC

1.667-274.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Repair kit ID 61	38	2.862-038.0	1 piece(s)	ID 61				Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.	<input type="checkbox"/>
Suction hoses (Clip-system)									
Suction hose (clip system), C 40, 10 m	39	6.906-279.0	1 piece(s)	40	10 m			10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.	<input type="checkbox"/>
Suction hose	40	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
	41	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
Suction hose (Clip-system), C 40, 16 m	42	6.906-635.0	1 piece(s)	40	16 m			With bayonet and clip connection.	<input type="checkbox"/>
Suction hose (clip system), C 40, 10 m, el.	43	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	<input type="checkbox"/>
Suction hoses complete									
Suction hose, complete	44	4.440-264.0	1 piece(s)	ID 61	4 m			4 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 61, smooth inside	45	4.440-328.0	1 piece(s)	ID 61	3 m			Industrial hose, PVC/elastomer with steel spiral, smooth inside.	<input type="checkbox"/>
Suction hose, complete, DN 61, 10 m	46	4.440-467.0	1 piece(s)	ID 61	10 m			10 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 61, 4 m, oil-resistant	47	4.440-613.0	1 piece(s)	ID 61	4 m			Oil-resistant.	<input type="checkbox"/>
Suction hose, complete	48	4.440-614.0	1 piece(s)	ID 61	10 m				<input type="checkbox"/>
Suction hose complete, ID 61, 4 m, el.	49	4.440-616.0	1 piece(s)	ID 61	4 m			Electrically conductive.	<input type="checkbox"/>
Suction hose, complete	50	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonet at vacuum end and DN 40 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 40, 4 m, oil-resistant,	51	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant.	<input type="checkbox"/>
Suction hose, complete	52	4.440-463.0	1 piece(s)	ID 40	10 m			Electrically non-conductive 10.0m standard suction hose with bayonet at vacuum end and DN 40 cone at accessory end.	<input type="checkbox"/>
Suction hose complete	53	4.440-466.0	1 piece(s)	ID 40	10 m			Electrically conductive, 10.0m, ID 40	<input type="checkbox"/>
Suction hose complete, ID 40, 10 m, oil-resistant	54	4.440-612.0	1 piece(s)	ID 40	10 m			Oil-resistant.	<input type="checkbox"/>
Connecting sleeves									
Adapter, DN 32/35, with internal thread	55	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
Adapter, DN 40 with internal thread	56	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	<input type="checkbox"/>
Connecting sleeve, ID 61, with female thread	57	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	<input type="checkbox"/>
Extension hoses (Clip-system)									
Extension hose, C 40	58	6.906-344.0	1 piece(s)	ID 40	2,5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 70/3 ME TC

1.667-274.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Other									
Pre-separator	59	3.864-010.0	1 piece(s)						<input type="checkbox"/>
Barrel separator	60	3.864-012.0	1 piece(s)						<input type="checkbox"/>
Lid for separator	61	4.063-132.0	1 piece(s)						<input type="checkbox"/>
CS 40 Me	62	2.863-026.0	1 piece(s)						<input type="checkbox"/>
Y-adapter kit									
Y-adapter kit	63	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	<input type="checkbox"/>
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
C-ID 35 adapter	64	5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.	<input type="checkbox"/>
C 40 adapter	65	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
C-DN 40 adapter	66	5.407-111.0	1 piece(s)	ID 40				Connects C 40 hose for ID 40, electrically conductive.	<input type="checkbox"/>
Adapter (tube -> nozzle)									
Adapter	67	5.453-019.0	1 piece(s)	ID 40				From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducing sleeves									
Reducer	68	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Sleeve C40 / C35	69	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	<input type="checkbox"/>
Reducer (tube -> nozzle)									
Reducer	70	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to 32	71	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 70/3 ME TC

1.667-274.0



		Order Number	Quantity	ID	Length / width	Price	Description	
Other nozzles								
45° rubber suction nozzle	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	<input type="checkbox"/>
Metal scratcher and scraper nozzle	2	6.903-360.0	1 piece(s)	ID 61	104 mm		Scratcher and scraper tool DN 61, sheet metal, 117 mm	<input type="checkbox"/>
Aluminium surface nozzle	3	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.